

ദ

Page 1 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### SAERfix® EP on Siliconpaper

### 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

See definition of the substance or mixture.

Industrial use

#### **Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

SAERTEX GmbH & Co. KG Brochterbecker Damm 52 48369 Saerbeck

Deutschland

Telefon: +49 (0) 2574 902 0 Fax: +49 (0) 2574 902 9 info@saertex.com www.saertex.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

#### Emergency information services / official advisory body:

---

#### Telephone number of the company in case of emergencies:

+1 872 5888271 (SAR)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

This is an article.

#### 2.2 Label elements

#### Labeling according to Regulation (EC) 1272/2008 (CLP)

This is an article.

Not applicable

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).



Page 2 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

### n.a. 3.2 Mixtures

Bis-[4-(2,3-epoxypropoxy)phenyl]propane	
Registration number (REACH)	01-2119456619-26-XXXX
Index	603-073-00-2
EINECS, ELINCS, NLP, REACH-IT List-No.	216-823-5
CAS	1675-54-3
content %	50-80
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Irrit. 2, H319
	Skin Sens. 1, H317
	Aquatic Chronic 2, H411
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=5 %
	Eye Irrit. 2, H319: >=5 %

Reaction product: bisphenol-A-(epichlorhydrin)	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	25068-38-6
content %	20-35
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Irrit. 2, H319
	Skin Sens. 1, H317

Esterification products of acrylic acid and 4,4'- isopropylidenediphenol ethoxylated	
Registration number (REACH)	01-2119969511-34-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	701-362-9
CAS	
content %	2,5-10
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Aquatic Chronic 2, H411
factors	

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	SVHC-substance
Registration number (REACH)	01-2119972295-29-XXXX
Index	015-203-00-X
EINECS, ELINCS, NLP, REACH-IT List-No.	278-355-8
CAS	75980-60-8
content %	0-<3
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Sens. 1B, H317
factors	Repr. 1B, H360Fd
	Aquatic Chronic 2, H411

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.



Page 3 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Typically no exposure pathway.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

#### Unsuitable extinguishing media

None known

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

#### **6.1.2 For emergency responders**

See section 8 for suitable protective equipment and material specifications.



Œ

Page 4 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

#### 6.2 Environmental precautions

Prevent from entering drainage system.

#### 6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect from direct sunlight.

Store in a dry place.

Do not store over 30°C.

#### 7.3 Specific end use(s)

No information available at present.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	3	μg/l	
	Environment - marine		PNEC	0,3	μg/l	
	Environment - sewage		PNEC	10	mg/l	
	treatment plant					
	Environment - sporadic		PNEC	0,012	mg/l	
	(intermittent) release					
	Environment - sediment		PNEC	0,05	mg/kg dw	
	Environment - sediment,		PNEC	0,5	mg/kg dw	
	freshwater					
	Environment - sediment,		PNEC	0,5	mg/kg dw	
	marine					
Consumer	Human - dermal	Short term, systemic	DNEL	3,6	mg/kg	
		effects			bw/d	
Consumer	Human - inhalation	Short term, systemic	DNEL	0,75	mg/m3	
		effects			_	



Œ

Page 5 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

Consumer	Human - oral	Short term, systemic effects	DNEL	0,75	mg/kg bw/d	
Consumer	Human - dermal	Long term, systemic effects	DNEL	3,6	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,75	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,75	mg/kg bw/d	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	8,3	mg/kg bw/d	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	12,3	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	8,3	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	12,3	mg/m3	

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
• •	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,006	mg/l	
	Environment - marine		PNEC	0,0006	mg/l	
	Environment - sediment, freshwater		PNEC	0,996	mg/kg	
	Environment - sediment, marine		PNEC	0,0996	mg/kg	
	Environment - soil		PNEC	0,196	mg/kg	
	Environment - sewage treatment plant		PNEC	10	mg/l	
Consumer	Human - dermal	Short term, systemic effects	DNEL	3,571	mg/kg bw/day	
Consumer	Human - oral	Short term, systemic effects	DNEL	0,75	mg/kg bw/d	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	8,33	mg/kg bw/day	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	12,25	mg/m3	

Esterification products of acrylic acid and 4,4'-isopropylidenediphenol ethoxylated									
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note			
	Environmental		r						
	compartment								
	Environment - freshwater		PNEC	0,006	mg/l				
	Environment - marine		PNEC	0,0006	mg/l				
Workers / employees	Human - dermal		DNEL	2	mg/kg				
					bw/d				
Workers / employees	Human - inhalation		DNEL	3,52	mg/m3				

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.



Page 6 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Normally not necessary.

With danger of contact with eyes.

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary.

If applicable

Nitrile-soaked cotton gloves with CE sign (EN ISO 374).

Leather gloves.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state:

Colour: According to specification

Characteristic Odour:

Melting point/freezing point: There is no information available on this parameter. Boiling point or initial boiling point and boiling range: There is no information available on this parameter.

Flammability: There is no information available on this parameter.

Does not apply to solids. Lower explosion limit: Upper explosion limit: Does not apply to solids.

Flash point: Does not apply to solids. Auto-ignition temperature: Does not apply to solids.

Decomposition temperature: There is no information available on this parameter.

Mixture is non-soluble (in water).

Kinematic viscosity: There is no information available on this parameter. Solubility:

Insoluble

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure:



Page 7 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

Density and/or relative density: There is no information available on this parameter.

Relative vapour density: Does not apply to solids.

There is no information available on this parameter. Particle characteristics:

9.2 Other information

Explosives: Product is not explosive. Oxidizing solids:

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not to be expected

#### 10.2 Chemical stability

Stable with proper storage and handling.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4 Conditions to avoid

None known

#### 10.5 Incompatible materials

None known

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	-					n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Bis-[4-(2,3-epoxypropoxy)phenyl]propane								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 420 (Acute			
					Oral toxicity - Fixe			
					Dose Procedure)			
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute			
route:					Dermal Toxicity)			



Page 8 of 14
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002 Valid from: 19.12.2024

PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal	Skin Irrit. 2
					Irritation/Corrosion)	
0				D-lab is		Free levit 0
Serious eye				Rabbit	OECD 405 (Acute	Eye Irrit. 2
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Mouse	OECD 429 (Skin	Yes (skin
sensitisation:					Sensitisation - Local	contact)
					Lymph Node Assay)	
Germ cell mutagenicity:					OECD 471 (Bacterial	Positive
,·					Reverse Mutation	
					Test)	
Germ cell mutagenicity:					OECD 476 (In Vitro	Positive
Germ cen mutagemony.						Positive
					Mammalian Cell Gene	
					Mutation Test)	
Germ cell mutagenicity:					OECD 478 (Genetic	Negative
					Toxicology - Rodent	
					dominant Lethal Test)	
Germ cell mutagenicity:				Salmonella	OECD 472 (Genetic	Negative
oona.a.gomony.				typhimurium	Toxicology -	1.090
				туриничини	Escherichia coli,	
					Reverse Assay)	NI C
Carcinogenicity:				Rat	OECD 453	Negative
					(Combined Chronic	
					Toxicity/Carcinogenicit	
					y Studies)	
Reproductive toxicity				Rat	OECD 414 (Prenatal	Negative
(Developmental toxicity):					Developmental	3
(Bovoropinionian toxiony).					Toxicity Study)	
Reproductive toxicity				Rabbit	OECD 414 (Prenatal	Negative
				Ιλαυσίι		ivegative
(Developmental toxicity):					Developmental	
					Toxicity Study)	
Reproductive toxicity (Effects	NOAEL	540	mg/kg	Rat	OECD 416 (Two-	
on fertility):			bw/d		generation	
					Reproduction Toxicity	
					Study)	
Specific target organ toxicity -	NOAEL	50	mg/kg	Rat	OECD 408 (Repeated	
repeated exposure (STOT-				10.1	Dose 90-Day Oral	
RE), oral:					Toxicity Study in	
ILL), oral.						
Openific townst assess to daily	NOATI	10		Det	Rodents)	
Specific target organ toxicity -	NOAEL	10	mg/kg	Rat		
repeated exposure (STOT-						
RE), dermal:						
Specific target organ toxicity -	NOAEL	100	mg/kg	Mouse		
repeated exposure (STOT-						
RE), dermal:						
Symptoms:						breathing
- 2 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-						difficulties,
						coughing,
						gastrointestina
						disturbances

Esterification products of acrylic acid and 4,4'-isopropylidenediphenol ethoxylated							
Endpoint	Value	Unit	Organism	Test method	Notes		
LD50	>2000	mg/kg	Rat	OECD 423 (Acute	Female		
				Oral Toxicity - Acute			
				Toxic Class Method)			
LD50	>2000	mg/kg	Rat	OECD 402 (Acute			
				Dermal Toxicity)			
	Endpoint LD50	Endpoint Value LD50 >2000	EndpointValueUnitLD50>2000mg/kg	EndpointValueUnitOrganismLD50>2000mg/kgRat	Endpoint     Value     Unit     Organism     Test method       LD50     >2000     mg/kg     Rat     OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method)       LD50     >2000     mg/kg     Rat     OECD 402 (Acute		



Page 9 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Mouse	OECD 429 (Skin	No (skin
sensitisation:					Sensitisation - Local	contact)
					Lymph Node Assay)	
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation	
					Test)	
Reproductive toxicity	NOAEL	1000	mg/kg	Rat	OECD 414 (Prenatal	Negative
(Developmental toxicity):			bw/d		Developmental	
					Toxicity Study)	
Specific target organ toxicity -	NOAEL	250	mg/kg	Rat	OECD 408 (Repeated	Negative
repeated exposure (STOT-					Dose 90-Day Oral	
RE), oral:					Toxicity Study in	
					Rodents)	
Specific target organ toxicity -	NOAEL	300	mg/kg	Rat	OECD 407 (Repeated	Negative
repeated exposure (STOT-					Dose 28-Day Oral	
RE), oral:					Toxicity Study in	
					Rodents)	

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide									
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes			
Respiratory or skin				Mouse	OECD 429 (Skin	Skin Sens. 1B			
sensitisation:					Sensitisation - Local				
					Lymph Node Assay)				

#### 11.2. Information on other hazards

SAERfix® EP on Siliconp	SAERfix® EP on Siliconpaper									
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				
Endocrine disrupting						Does not apply				
properties:						to mixtures.				
Other information:						No other				
						relevant				
						information				
						available on				
						adverse effects				
						on health.				

#### **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

SAERfix® EP on Siliconpaper										
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
12.1. Toxicity to fish:							n.d.a.			
12.1. Toxicity to							n.d.a.			
daphnia:										
12.1. Toxicity to algae:							n.d.a.			
12.2. Persistence and							n.d.a.			
degradability:										
12.3. Bioaccumulative							n.d.a.			
potential:										
12.4. Mobility in soil:							n.d.a.			



Page 10 of 14
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002 Valid from: 19.12.2024

PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

12.5. Results of PBT	n.d.a.
and vPvB assessment	
12.6. Endocrine	Does not apply
disrupting properties:	to mixtures.
12.7. Other adverse	No information
effects:	available on
	other adverse
	effects on the
	environment.

Bis-[4-(2,3-epoxypropo							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1,5-2	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,3	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	1,8-2,7	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	4,2	mg/l	Scenedesmus subspicatus	·	
12.1. Toxicity to algae:	LC50	72h	9,4	mg/l	Selenastrum capricornutum	U.S. EPA ECOTOX Database	
12.2. Persistence and degradability:		28d	6-12	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable
12.2. Persistence and degradability:		28d	5	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Not readily biodegradable
12.3. Bioaccumulative potential:	BCF		3-31			,	Low
12.3. Bioaccumulative potential:	Log Pow		2,64- 3,78			OECD 117 (Partition Coefficient (n- octanol/water) - HPLC method)	Low
12.4. Mobility in soil:	Koc		445				
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	IC50	3h	>100	mg/l	activated sludge		

Esterification products of acrylic acid and 4,4'-isopropylidenediphenol ethoxylated										
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
12.1. Toxicity to fish:	LL50	96h	>100	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)				



Page 11 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

12.1. Toxicity to	EL50	48h	6	mg/l	Daphnia magna	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	ErC50	72h	>100	mg/l	Pseudokirchnerie	OECD 201	
					lla subcapitata	(Alga, Growth	
						Inhibition Test)	
12.2. Persistence and		28d	21	%	activated sludge	OECD 301 B	Not readily but
degradability:						(Ready	inherent
						Biodegradability -	biodegradable.
						Co2 Evolution	
						Test)	
12.3. Bioaccumulative							Not to be
potential:							expected

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

16 03 06 organic wastes other than those mentioned in 16 03 05

Recommendation:

Pay attention to local and national official regulations.

Implement substance recycling.

#### For contaminated packing material

Pay attention to local and national official regulations.

Cleaned packaging:

Recycling

#### **SECTION 14: Transport information**

#### **General statements**

#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard identification number:

14.5. Environmental hazards:

Tunnel restriction code:

Classification code:

Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable



Page 12 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

Marine Pollutant:

EmS:

Not applicable

Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

Revised sections: 1 - 16

## Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H360Fd May damage fertility. Suspected of damaging the unborn child.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

 ${\rm Skin\ Irrit.} - {\rm Skin\ irritation}$ 

Eye Irrit. — Eye irritation

Skin Sens. — Skin sensitization

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Repr. — Reproductive toxicity

#### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).



Page 13 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx,  $E\mu$ Cx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

**IUCLIDInternational Uniform Chemical Information Database** 

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil



(GB

Page 14 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 19.12.2024 / 0003

Replacing version dated / version: 23.03.2017 / 0002

Valid from: 19.12.2024 PDF print date: 19.12.2024 SAERfix® EP on Siliconpaper

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg bw mg/kg body weight

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day

mg/kg dw mg/kg dry weight mg/kg wwt mg/kg wet weight

n.a. not applicable
n.av. not available
n.c. not checked
n.d.a. no data available

NIOSHNational Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

### Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.